20241107 LGOIMA TCDC Flood modelling emails

I discovered that the modelling did not include hazard from waterways or Ocean – this is managed by WRC so I LGOIMA them. The issue now is do we have a second wave of flood mapping after the waterways are modelled on top?

From: Rick Liefting <Rick.Liefting@waikatoregion.govt.nz>
Sent: Monday, 25 November 2024 12:05 pm
To: Ian Holyoake <ian@moisturedetection.co.nz>
Cc: Jennie Cox <Jennie.Cox@waikatoregion.govt.nz>
Subject: RE: WRC LGOIMA Request

Hi Ian,

That would be great, will look forward to your call on my mobile, 021443310.

Kind regards

Rick

Rick Liefting | TEAM LEADER - REGIONAL RESILIENCE | Regional Flood Coordinator | Regional Resilience, Integrated Catchment Management
WAIKATO REGIONAL COUNCIL | Te Kaunihera ā Rohe o Waikato
P: +6478590580
M: +6421443310
F: facebook.com/waikatoregion
Private Bag 3038, Waikato Mail Centre, Hamilton, 3240

From: Ian Holyoake <ian@moisturedetection.co.nz>
Sent: Monday, 25 November 2024 11:57 am
To: Rick Liefting <Rick.Liefting@waikatoregion.govt.nz>
Cc: Jennie Cox <Jennie.Cox@waikatoregion.govt.nz>
Subject: RE: WRC LGOIMA Request

Hi Rick

I am travelling today until around 5pm if that is a suitable time. I can call a bit earlier than 5pm

Regards Ian

From: Rick Liefting <Rick.Liefting@waikatoregion.govt.nz>
Sent: Monday, 25 November 2024 11:52 am
To: ian@moisturedetection.co.nz
Cc: Jennie Cox <Jennie.Cox@waikatoregion.govt.nz>
Subject: WRC LGOIMA Request

Kia ora Ian,

The below request has come through to me and would be keen to have a chat:

Information request: I am a stakeholder in TCDC Whangamata stormwater improvement project

I am seeking the 1%AEP flood modelling for the Wentworth and Otahu Rivers and Whangamata Harbour catchments.

Can you please let me know when a chat would suit, I do have some time this afternoon after 2.30pm and happy to give you a call on 021607611.

Ngaa mihi

Rick

Rick Liefting | TEAM LEADER - REGIONAL RESILIENCE | Regional Flood Coordinator | Regional Resilience, Integrated Catchment Management
WAIKATO REGIONAL COUNCIL | Te Kaunihera ā Rohe o Waikato
P: +6478590580
M: +6421443310
F: facebook.com/waikatoregion
Private Bag 3038, Waikato Mail Centre, Hamilton, 3240

From: Jennie Cox <Jennie.Cox@waikatoregion.govt.nz>
Sent: Thursday, 7 November 2024 8:06 pm

To: Ian Holyoake <ian@moisturedetection.co.nz>
Subject: Our reference REQ214587 - LGOIMA

Kia ora Ian

Not a problem.

I have logged the LGOIMA for you and the reference number is REQ214587.

I will check in with our Resource consent team as they will have access to the experts who provided the information you are checking on.

20 working days is up on 5 December – so you will hear from me by then.

Thanks

Jennie

Jennie Cox | OFFICIAL INFORMATION AND PRIVACY ADVISOR | Democracy, Customer, Community and Services

WAIKATO REGIONAL COUNCIL | Te Kaunihera ā Rohe o Waikato

P: +6478590897

M: +64275501896

F: facebook.com/waikatoregion

Private Bag 3038, Waikato Mail Centre, Hamilton, 3240

From: Ian Holyoake <ian@moisturedetection.co.nz>
Sent: Thursday, 7 November 2024 4:38 pm
To: 'Jennie Cox' <Jennie.Cox@waikatoregion.govt.nz>
Subject: LGOIMA Attached

Hi Jennie

I couldn't use the online portal for this LGOIMA because it rejected my submission as I don't have a specific property valuation number as my inquiry relates to flood modelling of ---- as attached.

The I can’t find an email to send OIA to???

All I have is our last one

Thanks Ian Holyoake 021607611

If any issues please ring.

We recommend that you also contact the relevant District Council as they may hold additional information, including on minimum floor level requirements, stormwater, overland flow paths and surface flooding/ponding.

Type of information required *

Flood hazard

What is the main activity that this request relates to? *

Other

Address of location for enquiry/RFS *

620 Port Road, Whangamata 3620

200 character limit

Can't find your address? Enter it manually

Property valuation number

Whangamata unkn

Property legal description

Whangamata

Details *

Information request: I am a stakeholder in TCDC Whangamata stormwater improvement project
I am seeking - see attached letter